



# Table of Contents

Section N°	Subject	Page
<b>Section 0 – Table of Contents</b>		
	Table of Contents	0.2
	Contact Details	0.5
	About Designing with CSR Hebel AAC	0.6
	Health & Safety	0.6
	Performance Specification	0.6
	Guarantee	0.7
	Disclaimer	0.7

<b>Section 1 – Introduction</b>		
1.1	The CSR Hebel Story	1.1
1.2	The Manufacturing Process	1.2
1.3	Benefits of CSR Hebel	1.4

<b>Section 2 – Product Range &amp; Properties</b>		
2.1	Product Range	2.1
2.2	Product Weight	2.4
2.3	Material Properties	2.5
2.4	Frost Resistance	2.5
2.5	Workability	2.5
2.6	Moisture Resistance	2.6
2.7	Drying Shrinkage	2.7
2.8	Other Physical Properties	2.7

<b>Section 3 – Energy Efficiency</b>		
3.1	Introduction	3.1
3.2	Thermal Performance	3.1
3.3	Why Thermally Insulate Buildings?	3.2
3.4	Heat Transfer	3.2
3.5	Thermal Conductivity, $\lambda$	3.2
3.6	Total Thermal Resistance of a Building Component, $R_T$	3.2
3.7	Quantity of Transferred Energy, $Q$	3.4
3.8	Building Regulations	3.4
3.9	Condensation Control	3.5

Section N°	Subject	Page
<b>Section 4 – Acoustic Performance</b>		
4.1	Introduction	4.1
4.2	Sound	4.1
4.3	Acoustic Materials – Sound Barriers & Sound Absorbers	4.1
4.4	STC & $R_w$ Acoustic Rating Systems	4.2
4.5	Field Tests of Partitions and Design Considerations	4.3
4.6	What Acoustic Performance Do We Need?	4.4
4.7	Impact Sound Transfer	4.5
4.8	Recesses for Services and Chasing in CSR Hebel Walls	4.5
4.9	Requirements of the BCA for Dividing Walls and Floors	4.6
4.10	AAAC Star Rating System	4.7

<b>Section 5 – Fire Design</b>		
5.1	Overview	5.1
5.2	Fire Properties of CSR Hebel AAC	5.1
5.3	Fire Resistance Level (FRL) Ratings	5.1
5.4	Fire Certificates and Reports	5.2
5.5	Additional Design Considerations	5.2
<b>Blocks</b>		
5.6	Design for Fire – Blocks	5.3
5.7	Loadbearing Walls	5.6
5.8	Reinforced AAC Masonry Walls	5.6
5.9	Cavity AAC Masonry Walls	5.6
5.10	Control Joints	5.6
5.11	CSR Hebel Block Walls with Thick Bed Mortar Joints	5.7
5.12	Recesses for Services and Chasing for Fire Design	5.7
	Fire Design Graphs –Blocks	5.9
<b>Panels</b>		
5.13	Design for Fire – Panels	5.31
5.14	Recesses for Services and Chasing for Fire Design	5.32

Section N°	Subject	Page
<b>Section 6 – Block Wall Design &amp; Construction</b>		
6.1	Overview	6.1
<b>Design Background</b>		
6.2	Applications	6.2
6.3	Design Information for AAC Masonry Construction	6.3
6.4	Design Considerations	6.5
6.5	Construction Considerations	6.6
<b>Design for CSR Hebel Blockwork</b>		
6.6	Foundations	6.8
6.7	Movement Joints (M.J.)	6.10
6.8	Robustness Limits	6.12
6.9	Design for Compression	6.17
6.10	Design for Bending	6.31
6.11	Bracing Design	6.40
6.12	Roof Hold-Down Design	6.48
<b>Associated CSR Hebel Products</b>		
6.13	Lintels	6.50
6.14	'U' Sections	6.51
6.15	Stair Treads and Stair Panels	6.51
<b>On-site Considerations</b>		
6.16	On-site Handling	6.52
6.17	Installation	6.53
6.18	Construction Detailing – Block Construction	6.57

<b>Section 7 – Wall &amp; Floor Panel Design &amp; Construction</b>		
7.1	Overview	7.1
7.2	Applications	7.2
7.3	Design Information for CSR Hebel AAC Panel	7.3
7.4	Behaviour of a CSR Hebel Panel System	7.7
7.5	Floor Panel Design	7.12
7.6	Wall Panel Design	7.17
7.7	On-site Handling	7.21
7.8	Installation	7.23
7.9	Construction Detailing - Wall Panels	7.25
7.10	Construction Detailing - Floor Panels	7.49

# Table of Contents

Section N°	Subject	Page
<b>Section 8 – Proprietary Fixings &amp; Brackets</b>		
8.1	CSR Hebel Fixing Guide	8.1
8.2	Fixing Suppliers	8.3
8.3	Galvanised Clasp Nail	8.4
8.4	Coarse Thread Screws	8.4
8.5	HELIFIX TurboFast	8.5
8.6	HILTI Product Specifications	8.6
8.7	POWERS Product Specifications	8.17
8.8	Ramset Product Specifications	8.21
8.9	TOX Product Specifications	8.24
8.10	Fischer Product Specifications	8.26
8.11	CSR Hebel Wall Ties	8.27
8.12	Tie-down Straps	8.29

<b>Section 9 – Surface Finishes</b>		
9.1	Scope	9.1
9.2	General	9.1
9.3	Surface Preparation of AAC Substrate	9.1
9.4	External renders	9.2
9.5	Construction Considerations	9.2
9.6	CSR Hebel Render Products	9.4
9.7	CSR Hebel Block Render systems	9.6
9.8	CSR Hebel Panel Render systems	9.7
9.9	Finishing the CSR Hebel AAC/ Render Substrate	9.8

Section N°	Subject	Page
<b>Appendix A – Worked Examples</b>		
	Currently under review. Please check our website regularly for updates: <a href="http://www.hebelaustralia.com.au">www.hebelaustralia.com.au</a>	

<b>Appendix B – Heat Flow in Buildings</b>		
B.1	Thermal Principles	B.1
B.2	Calculating the Thermal Performance of a Building	B.3
B.3	Examples of Thermal Calculations	B.5

<b>Appendix C – Condensation Control</b>		
C.1	Condensation Control	C.1

<b>Appendix D – Construction Notes</b>		
D.1	Construction Notes	D.1

<b>Appendix E – Guide Specifications</b>		
E.1	Guide Specifications - Hebel Blocks	E.1
E.2	Guide Specifications - Hebel PowerPanel	E.5
E.3	Guide Specification - Renders for CSR Hebel Autoclaved Aerated Concrete Products	E.10

<b>Appendix F – Fire Test Certificates</b>		
F.1	Fire Test Certificates	F.1

<b>Appendix G – Product Handling Guidelines</b>		
G.1	PowerPanel™ Handling & Installation Guidelines	G.1
G.2	Wall Panel Handling & Installation Guidelines	G.4

<b>Appendix H – OH&amp;S</b>		
H.1	OH&S	H.1

**CSR Hebel Website:****[www.hebelaustralia.com.au](http://www.hebelaustralia.com.au)**For sales enquires or further information,  
please telephone us from anywhere in Australia:**1300 369 448**

Our Business Development Team is actively involved in the organisation and presentation of product seminars and audio visual presentations.

**Head Office****112 Wisemans Ferry Road****Somersby NSW 2250****Tel: 1300 369 448****Fax: (02) 4340 3300****National Distributor Network**

CSR Hebel supplies its products to the marketplace via a national distributor network. These distributors have the support of the CSR Hebel to ensure their clients are offered the best service and technical assistance. The location of your nearest distributor can be found by contacting CSR Hebel on 1300 369 448 or by visiting the CSR Hebel website at:

[www.hebelaustralia.com.au](http://www.hebelaustralia.com.au) > Homeowners > Hebel Distributors

The product data contained in this manual is applicable only to CSR Hebel products manufactured from autoclaved aerated concrete produced by CSR Hebel and is current at the time of publication, however CSR Hebel reserves the right to vary product specifications without notice. Additionally, design regulations and standards can change as CSR Hebel does not represent itself as maintaining this document current. The designer shall be responsible for ensuring the information is correct at the time of use. The data contained in this edition supersedes all previous editions.

Published by: CSR Building Products Limited, trading as CSR Hebel ABN 55 008 631 356.

## About Designing with CSR Hebel AAC

---

The design of the Hebel system for a building requires the services of professional consultants. This Technical Manual has been prepared as a source of information to provide general guidance to the professional consultants, and in no way replaces the services of the professional consultants on the project. No liability can therefore be accepted by CSR Hebel or other parties for its use.

CSR Hebel products and systems undergo constant research and development to integrate new technology and performance experience. As additional knowledge, technologies and methods become available, CSR Hebel will endeavour to make these readily available via our website: [www.hebelaustralia.com.au](http://www.hebelaustralia.com.au)

The systems and performance specifications detailed in this guide are guaranteed only for laboratory tested conditions. Actual site conditions should be checked, and advice obtained from an appropriate consultant. Any variations or substitution of materials or assembly requirements, or any compromise in assembly or in quality of the system components may result in failure under critical conditions.

It is the responsibility of the architectural designer and engineering parties to ensure that the details in the CSR Hebel Technical Manual are appropriate for the intended application. The recommendations of this manual are formulated along the lines of good building practice, but are not intended to be an exhaustive statement of all relevant data. CSR Hebel accepts no responsibility for or in connection with the quality of the recommendations or their suitability for any purpose when installed.

CSR Hebel is continuously developing its products. This on-going development may result in changes to product specifications, range and the performance characteristics from time to time. The specifications, range and performance characteristics on which the CSR Hebel Technical Manual are based, are those current in December, 2005.

## Health & Safety

---

Information on any known health risks of our products and how to handle them safely is on their packaging and/or the documentation accompanying them. Additional information is listed in the Material Safety Data Sheet (MSDS). To obtain a copy of a MSDS, telephone 1800 807 668 or download from [www.hebelaustralia.com.au](http://www.hebelaustralia.com.au) > Tech Support > MSDS. Contractors are required by law to perform their own risk assessments before undertaking work. CSR Hebel has sample Safe Work Method Statements (SWMS) to assist in this. To obtain a sample SWMS, refer also to the above sources.

## Performance & Certification

---

CSR Hebel is a business of CSR Building Products Limited A.B.N. 55 008 631 356. It is a manufacturer and supplier of CSR Hebel Autoclaved Aerated Concrete (AAC) products. Because it is a manufacturer and supplier only, CSR Hebel does not employ people qualified as Accredited or Principal Certifiers. CSR Hebel is therefore unable to provide Construction Compliance Certificates or Statements of Compliance. CSR Hebel conducts appropriate testing of its products and systems to determine performance levels. These include structural, fire and acoustic tests. Testing is conducted and certified by appropriate specialists in these fields. When using CSR Hebel products and systems in specific projects, such specialists should be consulted

to ensure compliance with the Building Code of Australia and relevant Australian Standards.

## **Guarantee**

---

CSR Hebel guarantees the products manufactured by itself and the systems described in CSR Hebel literature for 7 years, subject to the terms and conditions of the CSR Hebel Guarantee which can be inspected in the CSR Hebel website at [www.hebelaustralia.com.au](http://www.hebelaustralia.com.au). CSR Hebel does not however guarantee the components, products or services, such as installation, supplied by others. For terms and conditions of the product guarantee, contact your CSR Hebel representative.

## **Disclaimer**

---

The information presented herein is supplied in good faith and to the best of our knowledge was accurate at the time of preparation. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purpose or specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by CSR Hebel, or its staff for any loss or damage caused by any person acting or refraining from action as a result of misuse of this information.